Author index

ABO, T. see TOMIYAMA, K.

ADEMMER, K., EBERT, M., MÜLLER-OSTERMEYER, F., FRIESS, H., BÜCHLER, M. W., SCHUBERT, W. & MALFERTHEINER, P. Effector T lymphocyte subsets in human pancreatic cancer: detection of CD8+ CD18+ cells and CD8+ CD103+ cells by multi-epitope imaging, 21

ADU, D. see KING, W. J.

AGARWAL, R., CHATURVEDI, U. C., MISRA, A., MUKERJEE, R., KAPOOR, S., NAGAR, R., TANDON, R. & MATHUR, A. Production of cytotoxic factor by peripheral blood mononuclear cells (PBMC) in patients with dengue haemorrhagic fever, 477

AKAKI, T. see SATO, K.

AKANMORI, B. D. see KURTZHALS, J. A. L.

AMENGUAL, O. see ATSUMI, T.

ANDERSSON, R. see BATONI, G.

ANDREESEN, R. see FINGERLE-ROWSON, G.

ANDREESEN, R. see ROGLER, G.

ANDREONI, M. see BERGAMINI, A.

ANDUS, T. see ROGLER, G.

ANGSTWURM, M. see FINGERLE-ROWSON, G.

AÑON, M. C. see RUMBO, M.

AROSA, F. A., IRWIN, C., MAYER, L., DE SOUSA, M. & POSNETT, D. N. Interactions between peripheral blood CD8 T lymphocytes and intestinal epithelial cells (iEC), 226

ASCHENBRENNER, E. see ROGLER, G. ATKINSON, J. P. see NICKELLS, M.

ATSUMI, T., KHAMASHTA, M. A., AMENGUAL, O., DONOHOE, S., MACKIE, I., ICHIKAWA, K., KOIKE, T. & HUGHES, G. R. V. Binding of anticardiolipin antibodies to protein C via β_2 -glycoprotein 1 (β_2 -GPI): a possible mechanism in the inhibitory effect of antiphospholipid antibodies on the protein C system, 325

AUMERCIER, M. see IDZIOREK, T. AVANZINI, M. A. see MARCONI, M.

AZUMA, E. see UMEMOTO, M.

BACHMANN, M. see YIANNAKI, E. E.

BACHMANN, M., DEISTER, H., PAUTZ, A., LAUBINGER, J., SCHMITZ, M., FALKE, D., PODLECH, J. & GRÖLZ, D. The human autoantigen La/SS-B accelerates herpes simplex virus type 1 replication in transfected mouse 3T3 cells, 482

BAHR, G. M. see IDZIOREK, T.

BALA SUBRAMANIAN, V. see NICKELLS, M.

Balestrieri, G. see La Rosa, L. Barton, S. G. R. G., Winrow, V. R., Rampton, D. S., Crabtree, J. E., BEALES, I. L. P. & CALAM, J. Circulating antibodies to the 60-kD heat shock protein (hsp) family in patients with Helicobacter pylori infection,

BAS, J. see COROMINAS, M.

BASKIN, B., ISLAM, K. B. & SMITH, C. I. E. Characterization of the CDR3 region of rearranged a heavy chain genes in human fetal liver, 44

Batoni, G., Esin, S., Harris, R. A., Källenius, G., Svenson, S. B., Andersson, R., Cam^aa, M. & Wigzell, H. $\gamma\delta^+$ and CD4⁺ $\alpha\beta^+$ human T cell subset responses upon stimulation with various Mycobacterium tuberculosis soluble extracts, 52

BEALES, I. L. P. see BARTON, S. G. R. G.

BEELEN, R. H. J. see VISSER, C. E.

BEEZHOLD, D. H. see KOSTYAL, D. A.

BELLAS, C. see LUQUE, R.

BERGAMINI, A., BOLACCHI, F., FAGGIOLI, E., PLACIDO, R., VENDETTI, S., CAPPANNOLI, L., VENTURA, L., CERASARI, G., UCCELLA, I., ANDREONI, M. & ROCCHI, G. HIV-1 does not alter in vitro and in vivo IL-10 production by human monocytes and macrophages, 105

BERNDT, M. C. see Santos, L. L. BEUERLE, B. see LÜDER, C. G. K. BILLAUT-MULOT, O. see IDZIOREK, T. BOLACCHI, F see BERGAMINI, A.

BOMBARDIERI, S. see CAPONI, L.

BONANNO, C. T. see SALERNO, A.

BONHAGEN, K., THOMA, S., LEITHÄUSER, F., MÖLLER, P. & REIMANN, J. A pancolitis resembling human ulcerative colitis (UC) is induced by CD4+TCR αβ T cells of athymic origin in histocompatible severe combined immunodeficient (SCID) mice, 443

BOORSMA, D. M. see VISSER, C. E. BOUILLON, R. see CASTEELS, K.

BRIEVA, J. A. see LUQUE, R.

BROOKS, C. J. see KING, W. J

BROUWER-STEENBERGEN, J. J. E. see VISSER, C. E.

BÜCHLER, M. W. see ADEMMER, K.

BUENDIA, E. see COROMINAS, M. BURGERS, S. see HUSTINX, W. N. M.

BURNS, F. J. see FLESCHER, E.

CACCAMO, N. see SALERNO, A.

CALAM, J. see BARTON, S. G. R. G.

CAMPA, M. see BATONI, G. CAPONI, L., BOMBARDIERI, S. & MIGLIORINI, P. Anti-ribosomal antibodies

bind the Sm proteins D and B/B', 139 CAPPANNOLI, L. see BERGAMINI, A.

CARPON, A. see IDZIOREK, T

CASTEELS, K., WAER, M., BOUILLON, R., DEPOVERE, J., VALCKX, D., LAUREYS, J. & MATHEIU, C. 1,25-Dihydroxyvitamin D3 restores sensitivity to cyclophosphamide-induced apoptosis in non-obese diabetic (NOD) mice and protects against diabetes, 181

CATELLI, L. see LA ROSA, L.

CERASARI, G. see BERGAMINI, A.

CERVERÓ, C. see LUQUE, R. CHATURVEDI, U. C. see AGARWAL, R.

CHIRDO, F. G. see RUMBO, M.

CIGNA, D. see SALERNO, A.

COROMINAS, M., MESTRE, M., BAS, J. & BUENDIA, E. Distinct modulation by interferon-gamma (IFN-γ) of CD23 expression on B and T lymphocytes of atopic subjects, 276

COVINI, G. see LA ROSA, L. CRABTREE, J. E. see BARTON, S. G. R. G.

CREMER, M. A., YE, X. J., TERATO, K., GRIFFITHS, M. M., WATSON, W. C. & KANG, A. H. Immunity to type IX collagen in rodents: a study of type IX collage for autoimmune and arthritogenic activities 375

D'AGATA, I. D. see DIONNE, S.

DAHLÉN, B. see WAHLSTRÖM, J.

DASMAHAPATRA, J. see HODGES, E. DE BONO, D. P. see IRELAND, D. C.

DE SOUSA, M. see AROSA, F. A. DE Vos, A. F. see HOLTKAMP, G. M.

DEISTER, H. see BACHMANN, M.

DEL PAPA, N. see LA ROSA, L. DENG, G. see MUSTAFA, W.

DEPOVERE, J. see CASTEELS, K.

DESCH, B. see SHENOY, S. DIEKMANN, O. see ORTH, T.

DIELI, F. see SALERNO, A.

DIONNE, S., D'AGATA, I. D., HISCOTT, J., VANOUNOU, T. & SEIDMAN, E. G. Colonic explant production of IL-1 and its receptor antagonist is imbalanced in inflammatory bowel disease (IBD), 435

DOLTER, K. E. see YU, E. W.

DOMINICI, R. see SALERNO, A. DONOHOE, S. see ATSUMI. T.

DUFFY, B. see SHENOY, S. DUGGAN, D. see WHEELER, P. R.

DUNYO, S. K. see KURTZHALS, J. A. L.

DUSE, M. see MARCONI, M.

- EBERT, M. see ADEMMER, K. EDWARDS, C. L. see NASH, M. A. EKLUND, A. see WAHLSTRÖM, J. ESCRIBANO, L. see LUQUE, R. ESIN. S. see BATONI, G.
- FAGGIOLI, E. see BERGAMINI, A. FALK, W. see ROGLER, G. FALKE, D. see BACHMANN, M. FAUST, J. see ORTH, T.
- Ferro, C. see Salerno, A.
 Fingerle-Rowson, G., Angstwurm, M., Andreesen, R. & Ziegler-Hettbrock, H. W. L. Selective depletion of CD14⁺ CD16⁺ monocytes by glucocorticoid therapy, 501
- FLESCHER, E., TRIPOLI, H., SALNIKOW, K. & BURNS, F. J. Oxidative stress suppresses transcription factor activities in stimulated lymphocytes. 242
- FÖRSTER, G., OTTO, E., HANSEN, C., OCHS, K. & KAHALY, G. Analysis of orbital T cells in thyroid-associated ophthalmopathy, 427
- of orbital T cells in thyroid-associal Fossati, C. A. see Rumbo, M. Freedman, R. S. see Nash, M. A. Frew, A. J. see Hodges, E. Friess, H. see Ademmer, K. Frithiof, L. see Mustafa, W. Fujii, Y. see Inoue, M. Fujita, T. see Inaba, T. Fujita, T. see Inaba, T. Furst, D. E. see Huang, S.-C.

FURUKAWA, F. see SEO. N.

- GALPERIN, C. see LA ROSA, L. GEOGHEGAN-BAREK, K. see NICKELLS, M. GERMAN, J. see SACK, S. Z. GERSHWIN, M. E. see LA ROSA, L.
- GOMPELS, M., PATTERSON, S., ROBERTS, M. S., MACATONIA, S. E., PINCHING, A. J. & KNIGHT, S. C. Increase in dendritic cell numbers, their function and the proportion uninfected during AZT therapy, 347
- GREEN, N. S. see SACK, S. Z.

 GREGORIO, G. V., PENSATI, P., IORIO, R., VEGNENTE, A., MIELI-VERGANI, G. & VERGANI, D. Autoantibody prevalence in children with liver disease due to chronic hepatitis C virus (HCV) infection,
- GRIFFITHS, M. M. see CREMER, M. A. GRÖLZ, D. see BACHMANN, M. GROSS, U. see LÜDER, C. G. K. GROSS, V. see ROGLER, G. GRUNEWALD, J. see WAHLSTRÖM, J.
- Hammarström, L. see Sundin, U. Hansen, C. see Förster, G. Hantoumi, J. see Yiannaki, E. E. Harkiss, G. D. see Moreno, B. Harris, R. A. see Batoni, G. Hashimoto, T. see Hirohata, S. Hauhart, R. see Nickells, M. Hausmann, M. see Rogler, G. Heezius, E. see Hustinx, W. N. M.
- HERMANN, E. see IDZIOREK, T. HICKEY, V. L. see KOSTYAL, D. A. HIDAKA, T. see ISHIZUKA, T. HIRATAKE, S. see UMEMOTO, M.
- HIRAYAMA, M. see UMEMOTO, M. HIROHATA, S. & HASHIMOTO, T. Abnormal T cell responses to bacterial superantigens in Behçet's disease (BD), 317
- HISCOTT, J. see DIONNE, S.
 HODGES, E., DASMAHAPATRA, J., SMITH, J. L., QUIN, C. T., LANHAM, S., KRISHNA, M. T., HOLGATE, S. T. & FREW, A. J. T cell receptor (TCR) Vβ gene usage in bronchoalveolar lavage and peripheral blood T cells from asthmatic and normal subjects, 363
- HOEPELMAN, I. M. see HUSTINX, W. N. M. HOLDER, R. see KING, W. J. HOLDSWORTH, S. R. see LEECH, M. HOLDSWORTH, S. R. see SANTOS, L. L.
- HOLGATE, S. T. see HODGES, E. HOLTKAMP, G. M., VAN ROSSEM, M., DE VOS, A. F., WILLEKENS, B.,

- PEEKS, R. & KIJLSTRA, A. Polarized secretion of IL-6 and IL-8 by human retinal pigment epithelial cells. 34
- HORST, G. see ROOZENDAAL, C. HOSOTSUBO, K. see SUGIMOTO, M.
- HUANG, S.-C., JIANG, R., HUFNAGLE, W. O., FURST, D. E., WILSKE, K. R. & MILNER, E. C. B. V_H usage and somatic hypermutation in peripheral blood B cells of patients with rheumatoid arthritis (RA), 516
- HUANG, X. R. see SANTOS, L. L. HUFNAGLE, W. O. see HUANG, S.-C.
- HUGHES, G. R. V. see ATSUMI, T. HUGHES, P. see KING, W. J.
- HUSHES, F. See KING, W. J.
 HUSTINX, W. N. M., VAN KESSEL, C. P. M., HEEZIUS, E., BURGERS, S.,
 LAMMERS, J.-W. & HOEPELMAN, I. M. Effects of granulocyte colonystimulating factor (G-CSF) treatment on granulocyte function and receptor expression in patients with ventilator-dependent pneumonia,
- HUTCHINSON, P. see LEECH, M. HVIID, L. see KURTZHALS, J. A. L.
- ICHIKAWA, K. see ATSUMI, T.
 IDZIOREK, T., KHALIFE, J., BILLAUT-MULOT, O., HERMANN, E., AUMERCIER, M., MOUTON, Y., CAPRON, A. & BAHR, G. M. Recombinant human IL-16 inhibits HIV-1 replication and protects against activation-
- induced cell death (AICD), 84

 Ihre, E. see Wahlström, J.

 Inaba, T., Mizuno, M., Ohya, S., Kawada, M., Uesu, T., Nasu, J.,

 Takeuchi, K., Nakagawa, M., Okada, H., Fujita, T. & Tsuji, T.
- TAKEUCHI, K., NAKAGAWA, M., OKADA, H., FUJITA, T. & TSUJI, T. Decay-accelerating factor (DAF) in stool specimens as a marker of disease activity in patients with ulcerative colitis (UC), 237

 INOGÉS, S. see MERINO, J.
- INOGES, S. SEE MERINO, J.

 INOUE, M., FUJII, Y., OKUMURA, M., TAKEUCHI, Y., SHIONO, H.,

 MIYOSHI, S., MATSUDA, H. & SHIRAKURA, R. Neoplastic thymic

 epithelial cells of human thymoma support T cell development from

 CD4 CD8 cells to CD4 CD8 cells in vitro, 419
- IORIO, R. see GREGORIO, G. V. IRELAND, D. C., SPRING, E. L., MOISEEVA, E. & DE BONO, D. P. Genetic identification of antigens exposed in damaged endothelial cells as
- laminin-binding proteins, 255
 IRWIN, C. see AROSA, F. A.
 ISHIZUKA, T., KAWAKAMI, M., HIDAKA, T., MATSUKI, Y., TAKAMIZAWA, M., SUZUKI, K., KURITA, A. & NAKAMURA, H. Stimulation with thromboxane A₂ (TXA₂) receptor agonist enhances ICAM-1,

VCAM-1 or ELAM-1 expression by human vascular endothelial cells,

- ISLAM, K. B. see BASKIN, B. ITO, M. see TOMIYAMA, K.
- JACOBSON, L. W. see NAGVEKAR, N.
- JIANG, R. see HUANG, S.-C.
- JODO, S., KOBAYASHI, S., NAKAJIMA, Y., MATSUNAGA, T., NAKAYAMA, N., OGURA, N., KAYAGAKI, N., OKUMURA, K. & KOIKE, T. Elevated serum levels of soluble Fas/APO-1 (CD95) in patients with hepatocellular carcinoma, 166
- JOHNSON, M. A. see OLAITAN, A.
- KAHALY, G. see FÖRSTER, G.
- KALINNA, B. H. see WAINE, G. J.
- KALLENBERG, C. G. M. see ROOZENDAAL, C.
- KÄLLENIUS, G. see BATONI, G.
- KANG, A. H. see CREMER, M. A.
- KAPOOR, S. see AGARWAL, R.
- KAJANAGH, J. J. see NASH, M. A.
- KAWADA, M. see INABA, T.
- KAWAKAMI, K. see KUDEKEN, N.
- KAWAKAMI, M. see ISHIZUKA, T.
- KAYAGAKI, N. see Jodo, S.
- KELLNER, R. see ORTH, T.
- KHALIFE, J. see IDZIOREK, T.
- KHAMASHTA, M. A. see ATSUMI, T.
- KULSTRA, A. see HOLTKAMP, G. M.
- KING, W. J., BROOKS, C. J., HOLDER, R. HUGHES, P., ADU, D. & SAVAGE, C. O. S. Tlymphocyte responses to anti-neutrophil cytoplasmic autoantibody (ANCA) antigens are present in patients with ANCAassociated systemic vasculitis and persist during disease remission, 539

KIYONO, H. see SUGIMOTO, M.

KLEIBEUKER, J. H. see ROOZENDAAL, C.

KLINGE, B. see MUSTAFA, W

KNIGHT, S. C. see GOMPELS, M.

KOBAYASHI, M. see UMEMOTO, M.

KOBAYASHI, M. see TAKI, H.

KOBAYASHI, S. see JODO, S.

KOIKE, T. see ATSUMI, T.

KOIKE, T. see JODO, S.

KOMADA, Y. see UMEMOTO, M.

KORAM, K. A. see KURTZHALS, J. A. L.

KORES, H. see PALMEN, M. J. H. J.

KOSTYAL, D. A., HICKEY, V. L., NOTI, J. D., SUSSMAN, G. L. & BEEZHOLD, D. H. Cloning and characterization of a latex allergen (Hev b 7): homology to patatin, a plant PLA2, 355

KREDIET, R. T. see VISSER, C. E.

KREISLE, R. A. see PAN, L.-F

KRISHNA, M. T. see HODGES, E.

KRYCH, M. see NICKELLS. M.

KUDEKEN, N., KAWAKAMI, K. & SAITO, A. Different susceptibilities of yeasts and conidia of Penicillium marneffei to nitric oxide (NO)mediated fungicidal activity of murine macrophages, 287

KUDELKA, A. P. see NASH, M. A. Кимамото, Т. see Имемото, М

KUNST, I. H. see PALMEN, M. J. H. J.

KURITA, A. see ISHIZUKA, T. KURODA, A. see TAKI, H.

KURTZHALS, J. A. L., REIMERT, C. M., TETTE, E., DUNYO, S. K., KORAM, K. A., AKANMORI, B. D., NKRUMAH, F. K. & HVIID, L. Increased eosinophil activity in acute Plasmodium falciparum infection-association with cerebral malaria, 303

LA ROSA, L., COVINI, G., GALPERIN, C., CATELLI, L., DEL PAPA, N., REINA, G., MORABITO, A., BALESTRIERI, G., TINCANI, A., GERSHWIN, M. E. & MERONI, P. L. Anti-mitochondrial M5 type antibody represents one of the serological markers for anti-phospholipid syndrome distinct from anti-cardiolipin and anti-β₂-glycoprotein I antibodies, 144

LAMMERS, J.-W. see HUSTINX, W. N. M.

LANG, T. see LÜDER, C. G. K.

LANHAM, S. see HODGES, E.

LAUBINGER, J. see BACHMANN, M.

LAUREYS, J. see CASTEELS, K.

LEECH, M., HUTCHINSON, P., HOLDSWORTH, S. R. & MORAND, E. F. Endogenous glucocorticoids modulate neutrophil migration and synovial P-selectin but not neutrophil phagocytic or oxidative function in experimental arthritis, 383

LEITHÄUSER, F. see BONHAGEN, K.

LENZI, R. see NASH, M. A.

LI, Y. S. see WAINE, G. J.

LI, Y. see WAINE, G. J.

LIMBURG, P. C. see ROOZENDAAL, C.

LINK, H. see MUSTAFA, W.

LIU, Y. see SACK, S. Z.

LOCKWOOD, C. M. see ROOZENDAAL, C.

LÓPEZ-JIMÉNEZ, J. see LUQUE, R.

LÜDER, C. G. K., LANG, T., BEUERLE, B. & GROSS, U. Down-regulation of MHC class II molecules and inability to up-regulate class I molecules in murine macrophages after infection with Toxoplasmic gondii, 308

LUQUE, R., BRIEVA, J. A., MORENO, A., MANZANAL, A., ESCRIBANO, L., VILLARRUBIA, J., VELASCO, J. L., LÓPEZ-JIMÉNEZ, J., CERVERÓ, C. OTERO, M. J., MARTÍNEZ, J., BELLAS, C. & ROLDÁN, E. Normal and clonal B lineage cells can be distinguished by their differential expression of B cell antigens and adhesion molecules in peripheral blood from multiple myeloma (MM) patients—diagnostic and clinical implications,

MACATONIA, S. E. see GOMPELS, M.

MACCARIO, R. see MARCONI, M.

MACCIONI, M., RIVERO, V. E. & RIERA, C. M. Prostatein (or rat prostatic steroid binding protein) is a major autoantigen in experimental autoimmune prostatitis, 159

MACKIE, I. see ATSUMI, T.

MALFERTHEINIER, P. see ADEMMER, K.

MANZANAL, A. see LUQUE, R.

MARCONI, M., PLEBANI, A., AVANZINI, M. A., MACCARIO, R., PISTORIO, A., DUSE, M., STRINGA, M. & MONAFO, V. IL-10 and IL-4 co-operate to normalize in vitro IgA production in IgA-deficient (IgAD) patients,

MARSH JR. H. C. see NICKELLS, M.

MARTINEZ, J. see LUQUE, R.

MARTÍNEZ-GONZÁLEZ, M. A., see MERINO, J.

MATHIEU, C. see CASTEELS, K.

MATHUR, A. see AGARWAL, R.

MATSUDA, H. See INOUE, M.

MATSUKI, Y. see ISHIZUKA, T.

MATSUMOTO, K. see SEO, N.

MATSUNAGA, T. see JODO, S. MAYER, L. see AROSA, F. A.

MAYET, W .- J. see ORTH, T.

MAZZER, D. see WAINE, G. J.

MCADAM, K. P. W. J. see WHEELER, P. R.

McManus, D. P. see Waine, G. J.

MEIJER, S. see VISSER, C. E.

MERINO, J., MARTÍNEZ-GONZÁLEZ, M. A., RUBIO, M., INOGÉS, S., SÁNCHEZ-IBARROLA, A. & SUBIRÁ, M. L. Progressive decrease of CD8^{high+} CD28⁺ CD57⁻ cells with ageing, 48

MERONI, P. L. see LA ROSA, L.

MESTRE, M. see COROMINAS, M.

MEYER ZUM BÜSCHENFELDE, K.-H. see ORTH, T.

MIELI-VERGANI, G. see GREGORIO, G. V.

MIGLIORINI, P. see CAPONI, L.

MIHARA, M., TAKAGI, N., TAKEDA, Y. & OHSUGI, Y. IL-6 receptor blockage inhibits the onset of autoimmune kidney disease in NZB/W F₁ mice, 397

MILNER, E. C. B. see HUANG, S.-C.

MINO, T. see TAKI, H.

MISRA, A. see AGARWAL, R.

MIYAWAKI, T. see MORIKAWA, K.

MIYOSHI, S. see INOUE, M.

MIZUNO, M. see INABA, T.

MOHANAKUMAR, T. see SHENOY, S.

MOISEEVA, E. see IRELAND, D. C.

MÖLLER, P. see BONHAGEN, K. MONAFO, V. see MARCONI, M.

MORABITO, A. see LA ROSA, L. MORAND, E. F. see LEECH, M.

MORENO, A. see LUQUE, R.

MORENO, B., WOODALL, C. J., WATT, N. J. & HARKISS, G. D. Transforming growth factor-beta 1 (TGF-β1) expression in ovine lentivirus-

induced lymphoid interstitial pneumonia, 74 MORIKAWA, K., NEMOTO, K., MIYAWAKI, T. & MORIKAWA, S. Deoxyspergualin preferentially inhibits the growth and maturation of anti-CD40-activated surface IgD⁺ B lymphocytes, 495

MORIKAWA, S. see MORIKAWA, K.

MOUTON, Y. see IDZIOREK, T

MOUTSOPOULOS, H. M. see YIANNAKI, E. E.

MUKERJEE, R. see AGARWAL, R.

MÜLLER-OSTERMEYER, F. see ADEMMER, K.

MUSTAFA, W., ZHU, J., DENG, G., DIAB, A., LINK, H., FRITHIOF, L. & KLINGE, B. Augmented levels of macrophage and Th1 cell-related cytokine mRNA in submandibular glands of MRL/lpr mice with autoimmune sialoadenitis, 389

NAGAI, M. see UMEMOTO, M.

NAGAR, R. see AGARWAL, R.

NAGVEKAR, N., JACOBSON, L. W., WILLCOX, N. & VINCENT, A. Epitopes expressed in myasthenia gravis (MG) thymomas are not recognized by patients' T cells or autoantibodies, 17

NAKAGAWA, M. see INABA, T.

NAKAJIMA, Y. see JODO, S.

NAKAMURA, H. see ISHIZUKA, T.

NAKAYAMA, N. see Jodo, S.

NASH, M. A., LENZI, R., EDWARDS, C. L., KAVANAGH, J. J., KUDELKA, A. P., Verschraegen, C. F., Platsoucas, C. D. & Freedman, R. S. Differential expression of cytokine transcripts in human epithelial ovarian carcinoma by solid tumour specimens, peritoneal exudate cells containing tumour, tumour-infiltrating lymphocyte (TIL)-derived T cell lines and established tumour cell lines, 172

NASU, J. see INABA, T.

NAVA, S. see SUNDIN, U.

NELIS, G. F. see ROOZENDAAL, C.

NEMOTO, K. see MORIKAWA, K.

NICKELLS, M., HAUHART, R., KRYCH, M., BALA SUBRAMANIAN, V. GEOGEHEGAN-BAREK, K., MARSH JR, H. C. & ATKINSON, J. P. Mapping epitopes for 20 monoclonal antibodies to CR1, 27

NKRUMAH, F. K. see KURTZHALS, J. A. L.

NOTI, J. D. see KOSTYAL, D. A.

O'SULLIVAN, G. M. see WHEELER, P. R.

OCHS, K. see FÖRSTER, G.

OGURA, N. see Jodo, S.

OHSUGI, Y. see MIHARA, M. OHYA, S. see INABA, T.

OKADA, H. see INABA, T.

OKUMURA, K. see Jodo, S.

OKUMURA, M. see INOUE, M.

OLAITAN, A., JOHNSON, M. A., REID, W. M. & POULTER, L. W. Changes to the cytokine microenvironment in the gential tract mucosa of $\ensuremath{\mathsf{HIV}^+}$

ORTH, T., KELLNER, R., DIEKMANN, O., FAUST, J., MEYER ZUM BÜSCHENFELDE, K.-H. & MAYET, W.-J. Identification and characterization of autoantibodies against catalase and α -enolase in patients with primary sclerosing cholangitis, 507 OTERO, M. J. see LUQUE, R.

OTTO, E. see FÖRSTER, G.

PALMEN, M. J. H. J., WIJBURG, O. L. C., KUNST, I. H., KROES, H. & VAN REES, E. P. CD4⁺ T cells from 2,4,6-trinitrobenzene sulfonic acid (TNBS)-induced colitis rodents migrate to the ricipient's colon upon transfer; down-regulation by CD8+ T cells, 216

PAN, L.-F., KREISLE, R. A. & SHI, Y.-D. Detection of FCγ receptors on human endothelial cells stimulated with cytokines tumour necrosis factor-alpha (TNF- α) and interferon-gamma (IFN- γ), 533

PATTERSON, S. see GOMPELS, M. PAUTZ, A. see BACHMANN, M.

PEEK, R. see HOLTKAMP, G. M. PENSATI, P. see GREGORIO, G. V.

PINCHING, A. J. see GOMPELS, M.

PISTORIO, A. see MARCONI, M.

PLACIDO, R. see BERGAMINI, A.

PLATSOUCAS, C. D. see NASH, M. A.

PLEBANI, A. see MARCONI, M. PODLECH, J. see BACHMANN, M.

POSNETT, D. N. see AROSA, F. A.

POULTER, L. W. see OLAITAN, A.

QI, J. see UMEMOTO, M. QUIN, C. T. see HODGES, E.

RAMPTON, D. S. see BARTON, S. G. R. G.

RAYNES, J. G. see WHEELER, P. R.

REID, W. M. see OLAITAN, A REIMANN, J. see BONHAGEN, K.

REIMERT, C. M. see KURTZHALS, J. A. L.

REINA, G. see LA ROSA, L.

RIERA, C. M. see MACCIONI, M.

RIVERO, V. E. see MACCIONI, M.

ROBERTS, M. S. see GOMPELS, M. ROCCHI, G. see BERGAMINI, A.

ROGLER, G., HAUSMANN, M., VOGL, D., ASCHENBRENNER, E., ANDUS, T., FALK, W., ANDREESEN, R., SCHÖLMERICH, J. & GROSS, V. Isolation and phenotypic characterization of colonic macrophages,

ROLDÁN, E. see LUQUE, R.

ROOZENDAAL, C., ZHAO, M. H., HORST, G., LOCKWOOD, C. M., KLEIBEUKER, J. H., LIMBURG, P. C., NELIS, G. F. & KALLENBERG, C. G. M. Catalase and α -enolase: two novel granulocyte autoantigens in inflammatory bowel disease (IBD), 10

Ross, A. G. P. see Waine, G. J.

RUBIO, M. see MERINO, J.

RUMBO, M., CHIRDO, F. G., AÑÓN, M. C. & FOSSATI, C. A. Detection and characterization of antibodies specific to food antigens (gliadin,

ovalbumin and β -lactoglobulin) in human serum, saliva, colostrum and

SACK, S. Z., LIU, Y., GERMAN, J. & GREEN, N. S. Somatic hypermutation of immunoglobulin genes is independent of the Bloom's syndrome DNA

SAITO, A. see KUDEKEN, N.

SAKARELLOS, C. see YIANNAKI, E. E.

SAKARELLOS-DAITSIOTIS, M. see YIANNAKI, E. E.

SAKURAI, M. see UMEMOTO, M.

SALERNO, A., BONANNO, C. T., CACCAMO, N., CIGNA, D., DOMINICI, R., FERRO, C., SIRECI, G. & DIELI, F. The effect of cyclosporin A, FK506 and rapamycin on the murine contact sensitivity reaction, 112 SALNIKOW, K. see FLESCHER, E.

SAMPAT-SARDJOEPERSAD, S. C. see Visser, C. E.

SÁNCHEZ-IBARROLA, A. see MERINO, J.

SANTOS, L. L., HUANG, X. R., BERNDT, M. C. & HOLDWORTH, S. R. Pselectin requirement for neutrophil accumulation and injury in the direct

SATO, K., AKAKI, T. & TOMIOKA, H. Differential potentiation of antimycobacterial activity and reactive nitrogen intermediate-producing ability of murine peritoneal macrophages activated by interferongamma (IFN- γ) and tumour necrosis factor-alpha (TNF- α), 63

SAVAGE, C. O. S. see KING, W. J.

SCHMITZ, M. see BACHMANN, M.

SCHÖLMERICH, J. see ROGLER, G. SCHUBERT, W. see ADEMMER, K.

SCOTT, J. C. see WAINE, G. J. SEIDMAN, E. G. see DIONNE, S.

SEKI, S. see TOMIYAMA, K.

SEO, N., TOKURA, Y., MATSUMOTO, K., FURUKAWA, F. & TAKIGAWA, M. Tumour-specific cytotoxic T lymphocyte activity in Th2-type Sézary syndrome: its enhancement by interferon-gamma (IFN- γ) and IL-12 and fluctuations in association with disease activity, 403 SHAO, L.-E. see YU, E. W.

SHENOY, S., DESCH, K., DUFFY, B., THORSON, P. & MOHANAKUMAR, T. Analysis of graft-versus-host disease (GVHD) and graft rejection using MHC class I-deficient mice, 188 SHI, Y.-D. see PAN, L.-F.

SHIMAOKA, M. see SUGIMOTO, M. SHIONO, H. see INOUE, M.

SHIRAKURA, R. see INOUE, M. SIRECI, G. see SALERNO, A.

SLEIGH, A. C. see WAINE, G. J.

SMITH, C. I. E. see BASKIN, B.

SMITH, J. L. see HODGES, E.

SOUSA, A. E. & VICTORINO, M. M. Single-cell analysis of lymphokine imbalance in asymptomatic HIV-1 infection: evidence for a major alteration within the CD8+ T cell subset, 294 SPRING, E. L. see IRELAND, D. C.

STRINGA, M. see MARCONI, M.

SUBIRÁ, M. L. see MERINO, J.

SUGIMOTO, M., SHIMAOKA, M., HOSOTSUBO, K., TANIGAMI, H., TAE-NAKA, N., KIYONO, H. & YOSHIYA, I. Up-regulation of Fas ligand (FasL) mRNA expression in peripheral blood mononuclear cells (PBMC) after major surgery, 120 SUGIYAMA, E. see TAKI, H.

SUNDIN, U., NAVA, S. & HAMMARSTRÖM, L. Induction of unresponsiveness against IgA in IgA-deficient patients on subcutaneous immunoglobulin infusion therapy, 341 SUSSMAN, G. L. see KOSTYAL, D. A.

SUZUKI, K. see ISHIZUKA, T.

SVENSON, S. B. see BATONI, G.

TAENAKA, N. see SUGIMOTO, M. TAKAGI, N. see MIHARA, M.

TAKAMIZAWA, M. see ISHIZUKA, T.

TAKEDA, Y. see MIHARA, M.

TAKEUCHI, K. see INABA, T. TAKEUCHI, Y. see INOUE, M.

Taki, H., Sugiyama, E., Mino, T., Kuroda, A. & Kobayashi, M. Differential inhibitory effects of indomethacin, dexamethasone, and interferon-gamma (IFN-γ) on IL-11 production by rheumatoid synovial

- TAKIGAWA, M. see SEO, N.
 TANDON, R. see AGARWAL, R.
 TANIGAMI, H. see SUGIMOTO, M.
 TEKSTRA, J. see VISSER, C. E.
 TERATO, K. see CREMER, M. A.
 TETTE, E. see KURTZHALS, J. A. L.
 THOMA, S. see BONHAGEN, K.
 THORSON, P. see SHENOY, S.
 TINCANI, A. see LA ROSA, L.
- TOKURA, Y. see SEO, N.
 TOMIOKA, H. see SATO, K.
 TOMIYAMA, K., WATANABE, H., SEKI, S., ITO, M. & ABO, T. Phenotypic and functional modulation of T cells in vivo by extrathymic T cells when T cells with MHC class II disparity were injected into athymic nude
- mice, 196
 Tripoli, H. see Flescher, E.
 Tsikaris, V. see Yiannaki, E. E.
 Tsuji, T. see Inaba, T.
 Tuk, C. W. see Visser, C. E.
 Tzioufas, A. G. see Yiannaki, E. E.
- UCCELLA, I. see BERGAMINI, A. UESU, T. see INABA, T. UMEMOTO, M., AZUMA, E., HIRAYAMA,
- UMEMOTO, M., AZUMA, E., HIRAYAMA, M., NAGAI, M., HIRATAKE, S., QI, J., KUMAMOTO, T., KOBAYASHI, M. KOMADA, Y. & SAKURAI, M. Cytokine-enhanced mixed lymphocyte reaction (MLR) in cord blood, 459
- Valckx, D. see Casteels, K.
 Van Kessel, C. P. M. see Hustinx, W. N. M.
 Van Rees, E. P. see Palmen, M. J. H. J.
 Van Rossem, M. see Holtramp, G. M.
 Vanounou, T. see Dionne, S.
 Vegnente, A. see Gregorio, G. V.
 Velasco, J. L. see Luque, R.
 Vendetti, S. see Bergamini, A.
 Ventura, L. see Bergamini, A.
 Vergani, D. see Gregorio, G. V.
 Verschraegen, C. F. see Nash, M. A.
 Victorino, M. M. see Sousa, A. E.
 Villarrubia, J. see Luque, R.
 - VINCENT, A. see ROOZENDAAL, C. VISSER, C. E., TEKSTRA, J., BROUWER-STEENBERGEN, J. J. E., TUK, C. W., BOORSMA, D. M., SAMPAT-SARDJOEPERSAD, S. C., MEIJER, S.,

- Krediet, R. T. & Beelen, R. H. Chemokines produced by mesothelial cells: huGRO-α, IP-10, MCP-1 and RANTES, 270 Vog., D. see Rogler, G.
- WAER, M. see CASTEELS, K.
- WAHLSTRÖM, J., DAHLÉN, B., IHRE, E., WIGZELL, H., GRUNEWALD, J. & EKLUND, A. Selective CD8⁺ T cells accumulate in the lungs of patients with allergic asthma after allergen bronchoprovocation, 1
- WAINE, G. J., YANG, W., ROSS, A. G. P., LI, Y. S., SLEIGH, A. C., KALINNA, B. H., SCOTT, J. C., MAZZER, D., LI, Y. & MCMANUS, D. P. Differential antigen-stimulated proliferation of human mononuclear cells by recombinant *Schistosoma japonicum* antigens in a Chinese population, 69
- WATANABE, H. see TOMIYAMA, K. WATSON, W. C. see CREMER, M. A.
- WATT, N. J. see MORENO, B.
 WHEELER, P. R., RAYNES, J. G., O'SULLIVAN, G. M., DUGGAN, D. &
 MCADAM, K. P. W. J. Sulphatide-binding properties are shared by
 serum amyloid P component and a polyreactive germ-line IgM autoantibody, the TH3 idiotype, 262
- WIGZELL, H. see BATONI, G.
 WIGZELL, H. see WAHLSTRÖM, J.
 WIJBURG, O. L. C. see PALMEN, M. J. H. J.
 WILLCOX, N. see ROOZENDAAL, C.
 WILLEKENS, B. see HOLTKAMP, G. M.
 WILSKE, K. R. see HUANG, S.-C.
 WINROW, V. R. see BARTON, S. G. R. G.
- WOODALL, C. J. see MORENO, B. YANG, W. see WAINE, G. J. YE. X. J. see CREMER, M. A.
- YIANNAKI, E. E., TZIOUFAS, A. G., BACHMANN, M., HANTOUMI, J., TSIKARIS, V., SAKARELLOS-DAITSIOTIS, M., SAKARELLOS, C. & MOUT-SOPOULOS, H. M. The value of synthetic linear epitope analogoues of La/SSB for the detection of autoantibodies to La/SSB; specificity, sensitivity and comparison of methods, 152
- YOSHIYA, Î. see SUGIMOTO, M.
 YU, E. W., DOLTER, K. E., SHAO, L.-E. & YU, J. Suppression of IL-6
 biological activities by activin A and implications for inflammatory
 arthropathies, 126
 YU, J. see YU, E. W.
- ZHAO, M. H. see ROOZENDAAL, C.
- ZHU, J. see MUSTAFA, W. ZIEGLER-HEITBROCK, H. W. L. see FINGERLE-ROWSON, G.

Subject Index

 α -enolase, 10, 507 acetyline choline receptor, 17 activin A, 126 age, 48 allergic asthma, 1 ANCA, 507, 539 anti-B2-glycoprotein I antibodies, 144 anti-IgA, 341 anti-IL-6R antibody, 397 anti-inflammatory, 126 anti-mitochondrial M5 antibodies, 144 anti-neutrophil cytoplasmic antibodies, 10 anti-P antibodies, 139 anti-phospholipid syndrome, 144, 325 anti-ribosomal antibodies, 139 anti-Sm antibodies, 139 antigen-presenting cells, 308 antigens, 355 AP-1, 242, 464 apoptosis, 84, 120, 181 arthritis, 375 asthma, 363 atopy, 276 autoantibodies, 139, 471 autoantibody, 507 autoantigen, 482 autoimmune kidney disease, 397 autoimmunity, 159, 375, 471, 482

β-lactoglobulin, 453 β₂m-/- mice, 188 β₂-microglobulin in HIV-1 infection, 347 B cell, 410 B cell epitopes, 152 B lymphocytes, 276, 495 balloon angioplasty, 255 Bloom's syndrome, 248 bronchoalveolar lavage, 363

C-C chemokines, 92 CagA, 490 CAPD, 270 cartilage matrix, 375 catalase, 10, 507 CD103, 21 CD14, 205 CD14+ CD16+ monocyte, 501 CD23, 276 CD28, 48 CD28 expression, 226 CD3, 317 CD33, 205 CD35, 27 CD4, 21 CD4⁺ cells, 188 CD4⁺ T cell, 52 CD4⁺ T cells, 216, 443 CD40 ligand, 528 CD55, 237 CD57, 48 CD8, 21, 48 CD8 T cells, 226, 294 CD80, 205 CD86, 205 CDR3, 44

cell adhesion molecules, 464 cellular differentiation, 495 cellular interaction, 196 cellular proliferation, 69, 495 cerebral malaria, 303 cerebroside sulphate, 262 chemokines, 270 chondrocytes, 126 coagulation, 325 colitis, 216 complement control protein repeats, 27 conidia, 287 contact sensitivity, 112 cord blood, 459 Crohn's disease, 435 cutaneous T cell lymphoma, 403 cyclosporin A, 112 cytokine mRNA, 389 cytokine profiles, 427 cytokine, 34, 459, 477 cytokines, 92, 100, 172, 294, 435 cytomegalovirus, 48 cytotoxic factor, 477 cytotoxic T lymphocyte, 403

decay-accelerating factor, 237 dengue haemorrhagic fever, 477 dengue virus, 477 dexamethasone, 133 diagnostic value, 152 direct passive Arthus, 281

endothelial cells, 255, 533 eosinophil cationic protein, 303 eosinophil protein X, 303 eosinophils, 303 estramustine binding protein, 159

Fas, 120 Fas ligand, 120 Fey receptors, 533 female, 100 fetal liver, 44 fetal loss, 144 FK506, 112 flow cytometry, 294

 $\gamma \delta^+$ T cell, 52 G-CSF, 334 gastric atrophy, 490 gastritis, 490 genetics, 363 germ-line IgM, 262 gliadin, 453 glucocorticoids, 383, 501 graft rejection, 188 graft-versus-host disease, 196, 459 granulocyte function, 334 GVHD, 188

heat shock proteins, 490 Helicobacter pylori, 490 Hev b 7 cDNA, 355 hepatitis B virus, 166 hepatitis C, 471 hepatitis C virus, 166 hepatocellular carcinoma, 166 herpes simplex, 482 HIV, 100 HIV-1, 92, 294 HIV-1 replication, 84 human, 44, 419, 495 human immune responses, 69 hyperplasia, 74

IgA, 453 IgA deficiency, 341, 528 IgE antibodies, 355 IgG, 453 IL-1, 435 IL-10, 105 IL-11, 133 IL-12, 403 IL-16, 84 IL-1Ra, 435 IL-4, 276 IL-6, 34, 126 IL-8, 34 immune adherence, 27 immune complexes, 341 immune evasion, 308 immunoglobulin, 248 immunoglobulin heavy chain variable region, 516 immunoglobulin production, 528 immunology, 100 immunomodulators, 495 immunosuppression, 242, 501 in situ hybridization, 92 indomethacin, 133 inflammation, 270 inflammatory bowel disease, 10, 237 interferon, 471 interferon-gamma, 63, 133, 276, 317, 403, 533 interleukins, 528 intestinal intraepithelial lymphocytes, 226 intestine, 205 intracellular cytokine detection, 294

La/SS-B, 482 La/SSB, 152 laminin-binding protein, 255 latex allergy, 355 lentivirus, 74 leprosy, 262 lipopolysaccharide, 105 liver cirrhosis, 166 lymph node, 92 lymphocytopenia, 120 lymphoid follicles, 74

macrophage colony-stimulating factor, 105 macrophages, 63, 74, 205, 287 maedi-visna virus, 74 major surgery, 120 malaria, 303 MHC antigens, 308 MHC class II, 188 migration, 216 mixed leucocyte reactions in HIV-1 infection, 347 MLR, 459 monoclonal antibody, 255 monocytes-macrophages, 105 MRL/lpr mice, 389 multi-epitope imaging, 21 multiple sclerosis, 501 murine colitis, 443 myasthenia gravis, 17 mycobacteria, 63 Mycobacterium tuberculosis, 52 myeloma, 410

neopterin in HIV-1 infection, 347 neutrophil, 383 neutrophils, 281 NF-κB, 464 NFκB, 242 NFAT, 242 nitric oxide, 287 NOD, 181 non-bacterial prostatitis, 159 NZB/W F₁ mice, 397

orbital T cell lines, 427 ovalbumin, 453 ovarian cancer, 172 oxidative stress, 242

P-selectin, 281, 383
pancreatic cancer, 21
paraneoplastic autoimmunity, 17
Penicillium marneffei, 287
peripheral blood, 410
peritoneal cavity, 270
phenotype, 410
phospholipid-binding protein, 325
Plasmodium falciparum, 303
polarized secretion, 34
prevention, 181
primary selerosing cholangitis, 507
proliferation, 52
prostatein, 159
proteinase 3, 539

rapamycin, 112
rat prostatic steroid binding protein, 159
reactive nitrogen intermediates, 63
reactive oxygen intermediates, 63
recombinant antigens, 69
RecQ, 248
retinal pigment epithelium, 34
rheumatoid arthritis, 516
rheumatoid synovial cells, 133
RT-PCR, 172
RU486, 383

schistosomiasis japonica, 69 SCID mice, 443 serum amyloid P, 262 Sezary syndrome, 403 sialoadenitis, 389 Sjögren's syndrome, 152 smooth muscle, 74 soluble CD23, 276 soluble Fas, 166 somatic hypermutation, 516 somatic mutation, 248 Staphylococcal enterotoxins, 317 subcutaneous gammaglobulin, 341 sulphatide, 262 synoviocytes, 126 synovium, 383 systemic lupus erythematosus, 139, 152, 539

T cell differentiation, 419
T cell expansion, 1
T cell receptor, 1, 317, 363
T cell subsets, 52, 112
T cells, 539
T lymphocytes, 276, 294, 317
TCR^{high} cells, 196
TCR^{int} cells, 196
thrombocytopenia, 144
thrombosis, 144, 325
thromboxane A₂ receptor, 464

thymic epithelial cell, 419 thymoma, 17, 419 thyroid antigens, 427 thyroid-associated ophthalmopathy, 427 tolerization, 341 toxoplasmosis, 308 transfer, 216 tumour necrosis factor-alpha, 63, 533 type IX collagen, 375

ulcerative colitis, 237, 435 uterine cervix, 100 variable region, 248 vascular endothelial cells, 464 vasculitis, 533 ventilator-dependent pneumonia, 334 vitamin D, 181

Wegener's granulomatosis, 539

yeast, 287

